Synca Marketing Inc. MATERIAL SAFETY DATA SHEET CP PEROXIDE

SECTION I - CHEMICA	AL PRODUCT AND COM			
Product Identifier			WHIMIS Classification	
BRILLIANCE 20				
Product Use				
Dental Whitening Ge	el			
Manufacturer's Name		Supplier's Na	Supplier's Name	
Synca Marketing Inc.				
Street Address		Street Address		
337 Marion				
City	Province	City	Province	
Le Gardeur	Quebec			
Postal Code	Emergency Telephone	Postal Code	Emergency Telephone	
J5Z 4W8	1-800-667-9622			
Date MSDS Prepared				
Feb. 2, 2018				

SECTION 1 CHEMICAL PRODUCT AND COMPANY INDENTIFICATION

SECTION 2 – COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	%	CAS Number	LD 50 of Ingredient (specify species and route)	LC 50 of Ingredient (specify species)
Carbamide Urea Peroxide	36%	124-43-6	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
Hydrogen Peroxide	6%	7722-84-1	1.4 mg/m3 (8hr)	1.4 mg/m3 (8hr)
Potassium Nitrate	1%	7757-79-1	3750mg/kg	3750mg/kg

SECTION 3 – HAZARDS IDENTIFICATION

(Emergency Overview) Main Hazards:







"O" – Oxidizing **R: Phrases R34 Causes Burns** R36/37/38 Irritating to eyes, respiratory system and skin. 41 Risk of serious damage to eyes

Potential Health Effects
Irritation to the eyes and skin.

SECTION 4 – FIRST AID MEASURES

Skin Contact

Immediately rinse with plenty of water.

Eye Contact

Rinse opened eye with plenty of water for several minutes, then consult a doctor.

Remove from exposure to fresh air immediately. If breathing is difficult give oxygen.

Ingestion

Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water.

SECTION 5 – FIRE FIGHTING MEASURES

Flammable If yes, under which conditions?		which conditions?	
YES			
Means of Extinction			
Use water only. Evac	uate all personnel.	Use prote	ective equipment for fire
fighting. Use self cont	tained breathing ap	paratus w	hen the product is involved in
a fire. Contact profes	• •	•	•
Flashpoint (° C) and Method	Upper Flammable Limit (%		Lower Flammable Limit (% by volume)
60	2.6		12.5
Autoignition Temperature (° C)	Explosion Date – Sensitivi	ty to Impact	Explosion Date – Sensitivity to Static
415	N/A		
Hazardous Combustion Products			N/A
Tiazardous Combustion Froducis	>		
SECTION 6 – ACCIDI			-0
SECTION 6 - ACCIDI	ENTAL RELEASE	WEASURI	20
Leak and Spill Procedures			
Scoop up, wash with plenty of water. Mop and dispose of in DOT approved			
containers.			
SECTION 7 – HANDLING AND STORAGE			
SECTION 7 - HANDLING AND STORAGE			
Handling Procedures and Equipr	nent		
Observe normal safety regulations when handling chemicals. Wash hands			
thoroughly after handling.			
Store Requirements			
Store in a cool dry place, protected from sunlight.			
SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION			
Exposure Limits			
ACCGIH OSHA PEL Other (specify)			
		U U	

Specific Engineering Controls (such as ventilation, enclosed process) Provide general or local exhaust ventilation.				
	Gloves Respirator	Eye 🔵 Fo	otwear Clothing	Other
If checked, please specify type				
Protective gloves and eyewear.				
Section 9 – Physical and Chemical Properties				
Physical State	Odour and Appearance		Odour Threshold (ppm	ı)

T Hysical State		
Clear,thick gel.	Slight mint odor.	n/a
Specify Gravity	Vapour Density (air = 1)	Vapour Pressure (mmHg)
1.063	2.62	n/a
Evaporation Rate	Boiling Point	Freezing Point (° C)
< 0.1	187	n/a
рН	Coefficient of Water/Oil Distsribution	Solubility in Water
6.5 approx	n/a	Complete

SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability	If no, under which conditions?		
Stable – Yes			
Incompatible with Other Substances	If yes, which ones?		
Yes	Strong alkalies, strong acids. Most metals.		
	Peroxides are strong oxidizing agent.		
Reactivity, and under what conditions?	i erestade are etterig estatzing agenti		
-	Acts as an oxidizing agent. Avoid excessive heat and direct sunlight.		
Hazardous Decomposition Products	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Oxygen. Burning may liber	ate nitrogen oxides, ammonia, carbon dioxide and		
carbon monoxide.	-		
SECTION 11 – TOXICOLO	SECTION 11 – TOXICOLOGICAL INFORMATION		
Effects of Acute Exposure			
Irritant			
Effects of Chronic Exposure			
n/a			
Irritancy of Product			
Irritant to the skin and eyes.			
Skin Sensitization	Respiratory Sensitization		
No sensitization effects kno	own n/a		
Carcinogenicity – IARC	Carcinogenicity - ACGIH		
n/a	n/a		
Embrotoxicity	Teratogenicity		
n/a	n/a		
Name of synergistic products/effects	Mutagenicity		
n/a	n/a		

SECTION 12 – ECOLOGICAL INFORMATION

Aquatic Toxicity

No data is available on the effects of this material on the environment. Biological decomposability. Biodegradable. No ecological problems to be anticipated if properly handled and used.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal

Take to a waste incineration plant, under conditions approved by the local authority. Consult local, state and federal environmental protection agencies before disposing on any chemical.

SECTION 14 – TRANSPORT INFORMATION

Land Transport
Special Shipping Information
Non-Hazardous for transport in small amounts.
PIN
N/A
DOT
Not regulated

Land Transport ADR/RID Class: Danger Code: Packing Group: Secondary Hazard: UN-Number: HS Code: Hazard Label:	5.1 Oxidizing substances 58 III 8 1511 2847-00-00 5.1 + 8
AIR Transport ICAO/IATA Class: Danger Code: Packing Group: Secondary Hazard: UN-Number: HS Code: Hazard Label: Proper shipping name:	5.1 Oxidizing substances 58 III 8 1511 2847-00-00 5.1 + 8 Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen Peroxide, Sodium Hydroxide)
<u>SEA Transport</u> IMDG Class: Danger Code: Packing Group:	5.1 Oxidizing substances 58 III

Secondary Code: UN-Number: HS Code: Hazard Label: Proper shipping name:

1511 2847-00-00 5.1 + 8 Oxidizing Liquid, Corrosive, N.O.S. (Urea Hydrogen Peroxide, Sodium Hydroxide)

SECTION 15 – REGULATORY INFORMATION

8







R Phrases R10 Flammable R41 Contact with acids liberates toxic gas R36/37/38 Irritating to eyes, skin and respiratory system R43 May cause sensitization by skin contact R8 Corrosive

S Phrases

S24/25 Avoid contact with skin and eyes S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention.

WHMIS Classification OSHA		
SERA TSCA		
This product has been classified in accordance with the hazard criteria of the		
Controlled Products Regulations (CPR) and the MSDS contains all of the		
information required by CPR.		

SECTION 16 – OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Health Hazard: 1; Fire Hazard:1; Reactivity:0;

R10 Flammable

R36/37/38 Irritating to eyes, skin and respiratory system

R43 May cause sensitization by skin contact